

# Contents

1	Introduction . . . . .	xii
	Moving GroupWise Components . . . . .	.xii
	Moving and Upgrading . . . . .	xiii
	Section I: GroupWise on Linux . . . . .	I-1
1	GroupWise on Linux . . . . .	I-3
2	Deciding on the Move to Linux . . . . .	I-5
	Why Move to Linux? . . . . .	I-5
	The Case for Linux . . . . .	I-5
	Developing Linux Skills . . . . .	I-8
	Using Linux to Learn It . . . . .	I-8
	Studying Linux . . . . .	I-8
	Special Considerations . . . . .	I-9
	Choosing your Linux . . . . .	I-9
	The Great File System Debate . . . . .	I-11
	NSS for OES . . . . .	I-12
	EXT3 for SLES. . . . .	I-13
	What About ReiserFS?. . . . .	I-13
	Understanding Linux Mount Points . . . . .	I-13
	Dealing with Case Sensitivity . . . . .	I-15
	Making Linux Accessible to your Administrators . . . . .	I-16
	Running your GroupWise Agents as Daemons . . . . .	I-16
	The GroupWise Server Migration Utility . . . . .	I-16
	Time to Move . . . . .	I-17
3	Preparing your New Linux Server . . . . .	I-19

- General Linux Recommendations . . . . . I-19
- Install ConsoleOne . . . . . I-20
- Install GroupWise Agents . . . . . I-21
- Install DBcopy . . . . . I-24
  
- 4 Moving a Domain with No Gateways - Linux . . . . . I-27**
  - Create a Mount Point for the NetWare Server . . . . . I-27
  - Create a Mount Point for the Windows Server . . . . . I-28
  - Unload the MTA . . . . . I-29
  - Copy the Files to New Linux Server . . . . . I-29
    - From Linux . . . . . I-30
    - From NetWare or Windows . . . . . I-31
  - Edit Important information in ConsoleOne . . . . . I-31
  - Configuring the MTA on Your New Linux Server . . . . . I-33
    - Starting the GroupWise MTA with the GUI for Testing . . . . . I-35
    - Starting Your MTA as a Daemon . . . . . I-38
    - Loading the HTTP Monitor . . . . . I-39
  
- 5 Moving a GWIA - Linux . . . . . I-41**
  - Create a Mount Point for the NetWare Server . . . . . I-42
  - Create a Mount Point for the Windows Server . . . . . I-42
  - Unload the MTA . . . . . I-43
  - Unload Your GWIA and Any Other Gateways . . . . . I-43
  - Copy the Files to New Linux Server . . . . . I-43
    - From Linux . . . . . I-44
    - From NetWare or Windows . . . . . I-45
  - Edit Important information in ConsoleOne . . . . . I-45
  - Configuring the MTA on Your New Linux Server . . . . . I-47
    - Starting the GroupWise MTA with the GUI for Testing . . . . . I-49
  - Install the GWIA software and configure the GWIA . . . . . I-52
  - Starting the GroupWise Internet Agent with the GUI for Testing . . . . . I-54
  - Starting Your MTA and GWIA as Daemons . . . . . I-55
  - Important Information If You Create a New GWIA . . . . . I-56
    - Loading the HTTP Monitor . . . . . I-56
  
- 6 Moving WebAccess - Linux . . . . . I-57**
  - Create a Mount Point for the NetWare Server . . . . . I-58

Create a Mount Point for the NetWare Server . . . . .	I-58
Create a Mount Point for the Windows Server . . . . .	I-59
Unload the MTA . . . . .	I-59
Unload Your WebAccess Agent and Any Other Gateways . . . . .	I-60
Copy the Files to New Linux Server . . . . .	I-60
From Linux . . . . .	I-61
From NetWare or Windows . . . . .	I-62
Edit Important information in ConsoleOne . . . . .	I-62
Configuring the MTA on Your New Linux Server . . . . .	I-64
Starting the GroupWise MTA with the GUI for Testing . . . . .	I-66
Install the WebAccess software and configure the WebAccess Agent. . . . .	I-69
Starting the WebAccess Agent with the GUI for Testing . . . . .	I-71
Starting Your MTA and WebAccess Agent as Daemons . . . . .	I-72
Loading the HTTP Monitor . . . . .	I-72
<b>7 Creating a New Domain on Linux to Relocate a Gateway . . . . .</b>	<b>I-75</b>
Create Your New Domain in ConsoleOne . . . . .	I-76
Configuring the MTA on Your New Linux Server . . . . .	I-79
Starting the GroupWise MTA with the GUI for Testing . . . . .	I-80
<b>8 Moving a GroupWise Post Office to Linux . . . . .</b>	<b>I-83</b>
Migrating our Post Office - Stage One. . . . .	I-85
Create a Mount Point for the NetWare or OES2 Server Using NCPFS . . . . .	I-85
Create a Mount Point for the Windows or Linux Server using CIFS. . . . .	I-86
Preparing Document Storage Locations for the Linux Server . . . . .	I-86
Connect to the Post Office's Owning Domain in ConsoleOne . . . . .	I-87
Verify that the Post Office is Set to Verbose Logging . . . . .	I-87
Edit the Information in ConsoleOne for the Storage Location . . . . .	I-87
Performing Our First Pass DBCopy of the Post Office. . . . .	I-88
Configure the POA on Linux . . . . .	I-89
Starting the GroupWise POA with the GUI for Testing . . . . .	I-91
Migrating our Post Office to Linux – Migration Day . . . . .	I-93
Unload the POA . . . . .	I-94
Rename the post office directory . . . . .	I-95
Perform our final DBCopy pass. . . . .	I-95
Additional Migration Tasks to Do While the Final Copy Continues . . . . .	I-95
Edit the Details of the Post Office in ConsoleOne . . . . .	I-96

NGWNameserver . . . . .	I-96
Additional Migration Tasks to Do After the Final Copy is Complete . . . . .	I-96
Loading the POA . . . . .	I-97
Checking the MTP Link. . . . .	I-97
Log into the POA on the Linux Server . . . . .	I-99
Moving External Document Storage Locations. . . . .	I-99
Moving a GroupWise Post Office to a new Linux Partition . . . . .	I-101
Moving our Post Office to a New Partition - Stage One. . . . .	I-102
Performing Our First Pass DBCopy of the Post Office. . . . .	I-102
Moving our Post Office to a New Partition - Stage Two. . . . .	I-103
Unload the POA . . . . .	I-103
Rename the post office directory. . . . .	I-104
Perform our final DBCopy pass. . . . .	I-104
Edit the Details of the Post Office in ConsoleOne . . . . .	I-104
Loading the POA . . . . .	I-105
Log into the POA to Check on the Move . . . . .	I-105
<b>9 Tips and Tricks for GroupWise on Linux . . . . .</b>	<b>I-107</b>
Administering your GroupWise system from Linux and Windows . . . . .	I-107
GWAHA.Conf . . . . .	I-111
Starting and Stopping Your GroupWise Agents . . . . .	I-112
Starting and Stopping Your Agents with the grpwise Script . . . . .	I-112
Starting Agents Manually from a Terminal Prompt . . . . .	I-113
Starting Temporarily from the Command Line . . . . .	I-113
Backgrounding from the Command Line . . . . .	I-113
Using Startup Options for Agents. . . . .	I-113
Forcing Agents to Terminate . . . . .	I-114
Killing Processes at the Command Line . . . . .	I-114
Killing Processes with the GUI . . . . .	I-114
Creating Mount Points on Linux to Other Servers . . . . .	I-114
Create a Mount Point for a NetWare Server. . . . .	I-114
Create a Mount Point for a Windows Server . . . . .	I-115
Create a Mount Point for a Linux Server . . . . .	I-115
<b>Section II: Moving to NetWare . . . . .</b>	<b>II-1</b>
<b>1 GroupWise on NetWare . . . . .</b>	<b>II-3</b>

<b>2</b>	<b>Moving a Domain with No Gateways - NetWare</b>	<b>II-5</b>
	Unload the MTA	II-5
	Copy the Files to New NetWare Server	II-6
	Edit Important information in ConsoleOne	II-6
	Installing the GroupWise Agents, and Configuring the MTA on Your New NetWare Server	II-7
<b>3</b>	<b>Moving a GWIA - NetWare</b>	<b>II-13</b>
	Unload the MTA	II-13
	Unload Your GWIA and Any Other Gateways	II-14
	Copy the Domain Files to New NetWare Server	II-14
	Edit Important information in ConsoleOne	II-14
	Installing the GroupWise Agents, and Configuring the MTA on Your New NetWare Server	II-15
	Install the GWIA software and configure the GWIA	II-20
	Load the GWIA on the NetWare Server	II-22
	Important Information If You Create a New GWIA	II-22
<b>4</b>	<b>Moving WebAccess - NetWare</b>	<b>II-25</b>
	Unload the MTA	II-26
	Unload Your GWIA and Any Other Gateways	II-26
	Copy the Domain Files to New NetWare Server	II-26
	Edit Important information in ConsoleOne	II-26
	Installing the GroupWise Agents, and Configuring the MTA on Your New NetWare Server	II-27
	Install the WebAccess software and configure the WebAccess Agent	II-32
	Loading The GroupWise WebAccess Agent	II-35
<b>5</b>	<b>Creating a New Domain on NetWare to Relocate a Gateway</b>	<b>II-37</b>
	Create Your New Domain in ConsoleOne	II-38
	Installing the GroupWise Agents, and Configuring the MTA on Your New NetWare Server	II-39
<b>6</b>	<b>Moving a GroupWise Post Office - NetWare</b>	<b>II-45</b>
	Copying our Post Office - Stage One	II-46
	Performing Our First Pass DBCopy of the Post Office	II-47
	Installing the GroupWise Agents, and Configuring the POA on Your New NetWare Server	II-47
	Moving our Post Office to NetWare – Moving Day	II-53
	Unload the POA	II-53
	Rename the post office directory	II-54
	Perform our final DBCopy pass	II-54

Additional Move Tasks to Do While the Final Copy Continues . . . . .	II-54
Edit the Details of the Post Office in ConsoleOne . . . . .	II-54
NGWNameserver . . . . .	II-55
Additional Move Tasks to Do After the Final Copy is Complete . . . . .	II-55
Loading the POA . . . . .	II-55
Checking the MTP Link. . . . .	II-55
Log into the POA on the New NetWare Server . . . . .	II-57
Moving External Document Storage Locations. . . . .	II-57
 Section III: Moving to Windows . . . . .	 III-1
1 GroupWise on Windows . . . . .	III-3
2 Preparing your New Windows Server . . . . .	III-5
eDirectory . . . . .	III-5
Novell Client . . . . .	III-5
ConsoleOne . . . . .	III-5
GroupWise Administration Snapins. . . . .	III-6
DBCOPY . . . . .	III-8
3 Moving a Domain with No Gateways - Windows . . . . .	III-11
Unload the MTA . . . . .	III-11
Copy the Files to New Windows Server . . . . .	III-12
Edit Important information in ConsoleOne . . . . .	III-12
Installing the GroupWise Agents, and Configuring the MTA on Your New Windows Server . . . . .	III-13
4 Moving a GWIA - Windows . . . . .	III-19
Unload the MTA . . . . .	III-19
Unload Your GWIA and Any Other Gateways. . . . .	III-20
Copy the Files to New Windows Server . . . . .	III-20
Edit Important information in ConsoleOne . . . . .	III-20
Installing the GroupWise Agents, and Configuring the MTA on Your New Windows Server . . . . .	III-21
Install the GWIA software and configure the GWIA. . . . .	III-26
Load the GWIA on the Windows Server . . . . .	III-27
Important Information If You Create a New GWIA . . . . .	III-27
5 Moving WebAccess - Windows . . . . .	III-29
Unload the MTA . . . . .	III-29

Unload Your WebAccess Agent and Any Other Gateways . . . . .	III-30
Copy the Files to New Windows Server . . . . .	III-30
Edit Important information in ConsoleOne . . . . .	III-30
Installing the GroupWise Agents, and Configuring the MTA on Your New Windows Server . . . . .	III-31
Install the WebAccess software and configure the WebAccess Agent. . . . .	III-36
Loading The GroupWise WebAccess Agent . . . . .	III-38
<b>6 Creating a New Domain on Windows to Relocate a Gateway . . . . .</b>	<b>III-39</b>
Create Your New Domain in ConsoleOne . . . . .	III-40
Installing the GroupWise Agents, and Configuring the MTA on Your New Windows Server . . . . .	III-41
<b>7 Moving a GroupWise Post Office - Windows . . . . .</b>	<b>III-47</b>
Copying our Post Office - Stage One . . . . .	III-48
Performing Our First Pass DBCopy of the Post Office. . . . .	III-49
Installing the GroupWise Agents, and Configuring the POA on Your New Windows Server . . . . .	III-50
Moving our Post Office to Windows – Moving Day. . . . .	III-54
Unload the POA . . . . .	III-55
Rename the post office directory . . . . .	III-55
Perform our final DBCopy pass. . . . .	III-55
Additional Move Tasks to Do While the Final Copy Continues . . . . .	III-56
Edit the Details of the Post Office in ConsoleOne . . . . .	III-56
NGWNameserver . . . . .	III-56
Additional Move Tasks to Do After the Final Copy is Complete . . . . .	III-57
Loading the POA . . . . .	III-57
Checking the MTP Link. . . . .	III-57
Log into the POA on the New Windows Server . . . . .	III-59
Moving External Document Storage Locations. . . . .	III-59
<b>Section IV: Moving GroupWise in eDirectory. . . . .</b>	<b>IV-1</b>
<b>1 Moving GroupWise in eDirectory . . . . .</b>	<b>IV-3</b>
Moving GroupWise to a New eDirectory Tree . . . . .	IV-3
Grafting Domains, Post Offices and Gateways . . . . .	IV-3
Grafting Users, Resources, Distribution Lists and Libraries . . . . .	IV-4
<b>Moving GroupWise Objects to a Different Container in the Current Tree . . . . .</b>	<b>IV-5</b>

